


**LOPIKRADIO**

**NEDERLAND**









Lopik-Radio, ..... 19.....

Hiermede berichten wij U de ontvangst van  
Uw rapport d.d. .... 19.....  
betreffende de omroepzender .....

..... welke door U op  
..... 19 te ..... uur

..... T. in ..... werd  
ontvangen.

Van Uw opmerkingen - waarvoor wij U zeer  
dankbaar zijn - werd goede nota genomen,  
daar deze voor ons steeds van belang zijn.

Wij wensen U zeer goede ontvangst.

Staatsbedrijf der P T T  
De Beheerder Lopik-Radio

Your report of 12-11-'44 never reached us,  
while we were under German occupation  
at that time.

*Eg.*

Lopik-Radio, *May 5<sup>th</sup>* 19*48*

I herewith acknowledge due receipt of your  
report dated *April 12<sup>th</sup>* 19*48*  
concerning the broadcast transmitter .....

*Propik II*, which you received  
on *December 11<sup>th</sup>* 19*44* *2<sup>00</sup>-4<sup>00</sup>* E.W.T.  
at *Pavlovville, Ohio, U.S.A.*

I took due note of your remarks for which  
I am very grateful and which are always of  
importance for me.

I wish you a very good reception.

Netherlands P T T  
Lopik-Radio  
The Chief-Engineer

*B. J. Schuur*

Hieronder vindt U enkele korte gegevens betreffende de Nederlandse Omroepzenders welke opgesteld zijn te Lopik, een dorp gelegen op enige afstand van Utrecht.

De foto op de frontpagina geeft U een indruk van de ligging van het zendstation temidden van het Hollandse weidelandschap, met de beide „zelfstralende” antenne-masten, waarvan er één bijna 200 m. hoog is. In het gebouw zijn de beide zenders, ieder met een antennevermogen van 125 kW., opgesteld. De foto op de achterpagina doet U een blik slaan in de zenderzaal, op één der beide zenders met de daarbij behorende bedienings-lessenaar.

De zenders werken op de golflengte ..... m en ..... m en worden gebruikt voor de uitzendingen van de Nederlandse omroep. De omroepstudio's zijn gelegen te Hilversum, zodat de aankondiging over de zenders luidt: „Zender Hilversum I” (..... kp/s) of „Zender Hilversum II” (..... kp/s).

Here after you will find some particulars concerning the Netherlands broadcast transmitters, which are situated at Lopik, a village in the neighbourhood of Utrecht.

The picture on the front-page gives you an impression of the situation of the transmitting station amidst the Dutch meadows, with the two „self-radiating” aerial masts, one of which is almost 200 m high. In the building the two transmitters, each with an aerialpower of 125 kW, have been installed.

The picture on the back-page gives a view of one of the two transmitters with the additional operator's desk in the transmitting room.

The transmitters work on the wavelengths of 301.5 m and 415 m and are used for the transmissions of the Netherlands broadcasting services.

The broadcasting studios are situated at Hilversum, therefore the programmes are announced: „Transmitter Hilversum I (..... 722 kc/s)” or „Transmitter Hilversum II (..... 995 kc/s)”.